

# CERTIFICATE OF ANALYSIS



**TORCH**  
**Customer:** 1601 N Powerline Rd, Suite 1  
 Pompano Beach, FL 33069

**Batch #:** BMP041223  
**Laboratory Number:** ATL-12968

**Report Issue Date:** 4/18/2023  
**Order Date:** 4/12/2023  
**Analysis Date:** 4/18/2023

**Sample Description:**  
 D8 Pre Roll - White Runtz



**Extraction Technician:** LL  
**Analytical Chemist:** LL

**Unit Weight:** 2.6793g / Preroll

*Abraham Jacaman*  
 Laboratory Manager

## CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.06	N/D	N/D	THCV-A	<0.06	N/D	N/D	9S-HHC	<0.01	N/D	N/D
CBDV	<0.03	N/D	N/D	CBN	<0.03	4.64	0.17	CBC	<0.06	<LOQ	<LOQ
CBD-A	<0.03	2.33	0.09	D9-THC	<0.03	<LOQ	<LOQ	CBC-A	<0.03	3.48	0.13
CBG-A	<0.03	167.16	6.24	D8-THC	<0.03	495.72	18.50	THC-A	<0.03	0.42	0.02
CBG	<0.02	11.87	0.44	9R-D10-THC	<0.02	N/D	N/D	D9-THCP	<0.01	N/D	N/D
CBD	<0.01	10.18	0.38	9S-D10-THC	<0.02	N/D	N/D	D8-THCO	<0.02	N/D	N/D
THCV	<0.01	N/D	N/D	9R-HHC	<0.01	N/D	N/D				

<b>Max Active THC</b>	mg/preroll	%
	0.42	0.02
<b>Max Active CBD</b>	mg/preroll	%
	12.23	0.46

<b>Total Active Cannabinoids</b>	mg/preroll	%
	674.70	25.18
<b>Total Cannabinoids</b>	mg/preroll	%
	695.87	25.97

## NOTES

Blank space for notes.

Cannabidiol (CBD), Cannabidiolol (CBDA), Cannabigerol (CBG), Cannabigerolol (CBGA), Cannabidiolol (CBDA), Cannabidiol (CBD), Tetrahydrocannabinol (THC), Tetrahydrocannabinolol (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), 9S-Hexahydrocannabinol (9S-HHC), 9R-Hexahydrocannabinol (9R-HHC), Cannabichromene (CBC), Cannabichromenic Acid (CBCA), Tetrahydrocannabinolol (THCA), Delta-9-Tetrahydrocannabinolol (D9-THCP), Delta-8-Tetrahydrocannabinolol (D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022



Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification  
 Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)