



Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # BD-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 26.183 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG781 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1



Potency Tested
 HHC Metals Passed
 Mycotoxins Passed
 Pesticides Passed
 Residual Solvents Passed
 Pathogenic Microbiology Passed
 Microbiology (qPCR) Passed

Product Image

Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV) Tested SOP13.001 (LCUV)

Specimen Weight: 101.020 mg

| Analyte | Dilution (1:n) | LOD (mg/g) | LOQ (%) | Result (mg/g) | (%) |
|-----------------------|----------------|------------|---------|---------------|---------|
| Delta-8 THC | 10.000 | 2.60E-5 | 0.015 | 928.5900 | 92.8590 |
| Delta-8 THCV | 10.000 | 4.00E-5 | 0.015 | 10.9000 | 1.0900 |
| CBC | 10.000 | 1.80E-5 | 0.015 | 6.8600 | 0.6860 |
| CBN | 10.000 | 1.40E-5 | 0.015 | 4.6200 | 0.4620 |
| CBT | 10.000 | 2.00E-4 | 0.015 | 2.1800 | 0.2180 |
| CBGA | 10.000 | 8.00E-5 | 0.015 | 0.2400 | 0.0240 |
| CBG | 10.000 | 2.48E-4 | 0.015 | 0.2200 | 0.0220 |
| CBD | 10.000 | 5.40E-5 | 0.015 | <LOQ | <LOQ |
| CBDa | 10.000 | 1.00E-5 | 0.015 | <LOQ | <LOQ |
| CBDV | 10.000 | 6.50E-5 | 0.015 | <LOQ | <LOQ |
| Delta-10 THC | 10.000 | 3.00E-6 | 0.015 | <LOQ | <LOQ |
| Delta-9 THC | 10.000 | 1.30E-5 | 0.015 | <LOQ | <LOQ |
| Delta6a10a-THC | 10.000 | 8.47E-5 | 0.015 | <LOQ | <LOQ |
| THCA-A | 10.000 | 3.20E-5 | 0.015 | <LOQ | <LOQ |
| THCV | 10.000 | 7.00E-6 | 0.015 | <LOQ | <LOQ |
| CBCA | 10.000 | 1.07E-4 | 0.015 | <LOQ | <LOQ |
| CBDVA | 10.000 | 1.40E-5 | 0.015 | <LOQ | <LOQ |
| CBL | 10.000 | 3.50E-5 | 0.015 | <LOQ | <LOQ |
| CBNA | 10.000 | 9.50E-5 | 0.015 | <LOQ | <LOQ |
| Delta-8 THC-O Acetate | 10.000 | 2.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta-9 THC-O Acetate | 10.000 | 7.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta8-THCP * | 10.000 | 3.75E-4 | 0.015 | <LOQ | <LOQ |
| Delta9-THCP * | 10.000 | 1.17E-5 | 0.012 | <LOQ | <LOQ |
| Exo-THC | 10.000 | 2.30E-4 | 0.015 | <LOQ | <LOQ |
| THCB * | 10.000 | 1.80E-4 | 0.0163 | <LOQ | <LOQ |
| THCH * | 10.000 | 3.50E-4 | 0.0163 | <LOQ | <LOQ |
| THCVA | 10.000 | 4.70E-5 | 0.015 | <LOQ | <LOQ |
| Total Active CBD | 10.000 | | | <LOQ | <LOQ |
| Total Active THC | 10.000 | | | <LOQ | <LOQ |

Potency Summary

| | |
|---|--|
| Total Delta 8 92.859% 6500.13 mg | Total Delta 10 None Detected |
| Total Active THC None Detected | Total Active CBD None Detected |
| Total CBG 0.043% 3.01 mg | Total CBN 0.462% 32.34 mg |
| Total Cannabinoids 95.361% 6675.27 mg | |

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # BD-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 26.183 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG781 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1

Total Yeast and Mold
Specimen Weight: 488.900 mg

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology SAE
(MicroArray)

Passed
SOP13.019
(Micro Array)

| Analyte | Action Level (cfu/g) | LOQ (cfu/g) | Result (cfu/g) |
|-------------------|---------------------------|--------------------------|---------------------------|
| Total Yeast/Mold | 100000 | 1000 | <LOQ |
| Prep. By: 1161 | Date: 2025-01-04 08:08:26 | Analyzed By: 1161 | Date: 2025-01-04 08:08:26 |
| Reviewed By: 1161 | Date: 2025-01-04 14:27:33 | Lab Batch #: AAGG781-434 | Date: 2025-01-04 14:27:33 |

| Analyte | Result (cfu/g) | Analyte | Result (cfu/g) |
|-----------------------|----------------|---------------------|----------------|
| Aspergillus flavus | Absence in 1g | Aspergillus terreus | Absence in 1g |
| Aspergillus fumigatus | Absence in 1g | Salmonella | Absence in 1g |
| Aspergillus niger | Absence in 1g | STEC E. Coli | Absence in 1g |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # BD-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 26.183 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG781 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1

Mycotoxins **Passed**
Specimen Weight: 619.490 mg SOP13.007 (LCMS)

Dilution Factor: 2.420

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6 | 20 | <LOQ | Aflatoxin G2 | 2.7100E-1 | 6 | 20 | <LOQ |
| Aflatoxin B2 | 7.7000E-2 | 6 | 20 | <LOQ | Ochratoxin A | 7.5400E-1 | 3.8 | 20 | <LOQ |
| Aflatoxin G1 | 3.0400E-1 | 6 | 20 | <LOQ | | | | | |

HHC Metals **Passed**
Specimen Weight: 246.250 mg SOP13.051 (ICP-3; icp-1)

Dilution Factor: 203.046

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|----------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 1.9E-2 | 100 | 200 | <LOQ | Nickel (Ni) | 1.5E-1 | 250 | 500 | <LOQ |
| Cadmium (Cd) | 4.0E-3 | 100 | 200 | <LOQ | Palladium (Pd) | 7.0E-3 | 50 | 100 | <LOQ |
| Lead (Pb) | 1.0E-2 | 100 | 500 | <LOQ | Platinum (Pt) | 1.3E-2 | 50 | 100 | <LOQ |
| Mercury (Hg) | 4.4E-2 | 100 | 200 | <LOQ | Zinc (Zn) | 4.1E-1 | 1000 | na | <LOQ |

Residual Solvents - FL (CBD) **Passed**
Specimen Weight: 15.800 mg SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094 | 0.16 | 8 | <LOQ | Heptane | 0.0013 | 1.39 | 5000 | <LOQ |
| 1,2-Dichloroethane | 0.0003 | 0.04 | 2 | <LOQ | Hexane | 0.068 | 1.17 | 290 | <LOQ |
| Acetone | 0.015 | 2.08 | 5000 | <LOQ | Isopropyl alcohol | 0.0048 | 1.39 | 500 | 44.465 |
| Acetonitrile | 0.06 | 1.17 | 410 | <LOQ | Methanol | 0.0005 | 0.69 | 3000 | <LOQ |
| Benzene | 0.0002 | 0.02 | 2 | <LOQ | Methylene chloride | 0.0029 | 2.43 | 600 | <LOQ |
| Butanes | 0.4167 | 2.5 | 2000 | <LOQ | Pentane | 0.037 | 2.08 | 5000 | <LOQ |
| Chloroform | 0.0001 | 0.04 | 60 | <LOQ | Propane | 0.031 | 5.83 | 2100 | <LOQ |
| Ethanol | 0.0021 | 2.78 | 5000 | <LOQ | Toluene | 0.0009 | 2.92 | 890 | <LOQ |
| Ethyl Acetate | 0.0012 | 1.11 | 5000 | <LOQ | Total Xylenes | 0.0001 | 2.92 | 2170 | <LOQ |
| Ethyl Ether | 0.0049 | 1.39 | 5000 | <LOQ | Trichloroethylene | 0.0014 | 0.49 | 80 | <LOQ |
| Ethylene Oxide | 0.0038 | 0.1 | 5 | <LOQ | | | | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # BD-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 26.183 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG781 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1

Pesticides
Specimen Weight: 619.490 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.420

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin | 2.8800E-1 | 28.23 | 100 | <LOQ | Fludioxonil | 1.7400E+0 | 48 | 100 | <LOQ |
| Acephate | 2.3000E-2 | 30 | 100 | <LOQ | Hexythiazox | 4.9000E-2 | 30 | 100 | <LOQ |
| Acequinocyl | 9.5640E+0 | 48 | 100 | <LOQ | Imazalil | 2.4800E-1 | 30 | 100 | <LOQ |
| Acetamiprid | 5.2000E-2 | 30 | 100 | <LOQ | Imidacloprid | 9.4000E-2 | 30 | 400 | <LOQ |
| Aldicarb | 2.6000E-2 | 30 | 100 | <LOQ | Kresoxim Methyl | 4.2000E-2 | 30 | 100 | <LOQ |
| Azoxystrobin | 8.1000E-2 | 10 | 100 | <LOQ | Malathion | 8.2000E-2 | 30 | 200 | <LOQ |
| Bifenazate | 1.4150E+0 | 30 | 100 | <LOQ | Metalaxyl | 8.1000E-2 | 10 | 100 | 13.629 |
| Bifenthrin | 4.3000E-2 | 30 | 200 | <LOQ | Methiocarb | 3.2000E-2 | 30 | 100 | <LOQ |
| Boscalid | 5.5000E-2 | 10 | 100 | <LOQ | Methomyl | 2.2000E-2 | 30 | 100 | <LOQ |
| Captan | 6.1200E+0 | 30 | 700 | <LOQ | methyl-Parathion | 1.7100E+0 | 10 | 100 | <LOQ |
| Carbaryl | 2.2000E-2 | 10 | 500 | <LOQ | Mevinphos | 2.1500E+0 | 10 | 100 | <LOQ |
| Carbofuran | 3.4000E-2 | 10 | 100 | <LOQ | MGK-264 | 5.8500E-1 | 10 | 100 | <LOQ |
| Chlorantraniliprole | 3.3000E-2 | 10 | 1000 | <LOQ | Myclobutanil | 1.0290E+0 | 30 | 100 | <LOQ |
| Chlordane | 1.0000E+1 | 10 | 100 | <LOQ | Naled | 9.5000E-2 | 30 | 250 | <LOQ |
| Chlorfenapyr | 3.4000E-2 | 30 | 100 | <LOQ | Oxamyl | 2.5000E-2 | 30 | 500 | <LOQ |
| Chlormequat Chloride | 1.0800E-1 | 10 | 1000 | <LOQ | Pacllobutrazol | 6.5000E-2 | 30 | 100 | <LOQ |
| Chlorpyrifos | 3.5000E-2 | 30 | 100 | <LOQ | Pentachloronitrobenzene | 1.3200E+0 | 10 | 150 | <LOQ |
| Clofentezine | 1.1900E-1 | 30 | 200 | <LOQ | Permethrin | 3.4300E-1 | 30 | 100 | <LOQ |
| Coumaphos | 3.7700E+0 | 48 | 100 | <LOQ | Phosmet | 8.2000E-2 | 30 | 100 | <LOQ |
| Cyfluthrin | 3.1100E+0 | 30 | 500 | <LOQ | Piperonylbutoxide | 2.9000E-2 | 30 | 3000 | <LOQ |
| Cypermethrin | 1.4490E+0 | 30 | 500 | <LOQ | Prallethrin | 7.9800E-1 | 30 | 100 | <LOQ |
| Daminozide | 8.8500E-1 | 30 | 100 | <LOQ | Propiconazole | 7.0000E-2 | 30 | 100 | <LOQ |
| Diazinon | 4.4000E-2 | 30 | 100 | <LOQ | Propoxur | 4.6000E-2 | 30 | 100 | <LOQ |
| Dichlorvos | 2.1820E+0 | 30 | 100 | <LOQ | Pyrethrins | 2.3593E+1 | 30 | 500 | <LOQ |
| Dimethoate | 2.1000E-2 | 30 | 100 | <LOQ | Pyridaben | 3.2000E-2 | 30 | 200 | <LOQ |
| Dimethomorph | 5.8300E+0 | 48 | 200 | <LOQ | Spinetoram | 8.0000E-2 | 10 | 200 | <LOQ |
| Ethoprophos | 3.6000E-1 | 30 | 100 | <LOQ | Spinosad | 8.8000E-2 | 30 | 100 | <LOQ |
| Etofenprox | 1.1600E-1 | 30 | 100 | <LOQ | Spiromesifen | 2.6100E-1 | 30 | 100 | <LOQ |
| Etoxazole | 9.5000E-2 | 30 | 100 | <LOQ | Spirotetramat | 8.9000E-2 | 30 | 100 | <LOQ |
| Fenhexamid | 5.1000E-1 | 10 | 100 | <LOQ | Spiroxamine | 1.3100E-1 | 30 | 100 | <LOQ |
| Fenoxycarb | 1.0700E-1 | 30 | 100 | <LOQ | Tebuconazole | 6.7000E-2 | 30 | 100 | <LOQ |
| Fenpyroximate | 1.3800E-1 | 30 | 100 | <LOQ | Thiacloprid | 6.4000E-2 | 30 | 100 | <LOQ |
| Fipronil | 1.0700E-1 | 30 | 100 | <LOQ | Thiamethoxam | 5.0000E-2 | 30 | 500 | <LOQ |
| Fonicamid | 5.1700E-1 | 30 | 100 | <LOQ | Trifloxystrobin | 3.7000E-2 | 30 | 100 | <LOQ |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

