



Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # SC-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 25.570 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG785 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1



Product Image

Potency Tested
 HHC Metals Passed
 Mycotoxins Passed
 Pesticides Passed
 Residual Solvents Passed
 Pathogenic Microbiology Passed
 Microbiology (qPCR) Passed

Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Tested SOP13.001 (LCUV)

Specimen Weight: 100.840 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	10.000	2.60E-5	0.015	936.8000	93.6800
Delta-8 THCV	10.000	4.00E-5	0.015	11.1300	1.1130
CBC	10.000	1.80E-5	0.015	6.8400	0.6840
CBN	10.000	1.40E-5	0.015	4.6100	0.4610
CBT	10.000	2.00E-4	0.015	2.1900	0.2190
CBG	10.000	2.48E-4	0.015	0.2300	0.0230
CBGA	10.000	8.00E-5	0.015	0.2300	0.0230
CBD	10.000	5.40E-5	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
Delta-10 THC	10.000	3.00E-6	0.015	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta6a10a-THC	10.000	8.47E-5	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.015	<LOQ	<LOQ
CBNA	10.000	9.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.015	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	10.000			<LOQ	<LOQ
Total Active THC	10.000			<LOQ	<LOQ

Potency Summary

93.680% Total Delta 8 6557.6 mg	-	Total Delta 10 None Detected
- Total Active THC None Detected	-	Total Active CBD None Detected
0.043% Total CBG 3.01 mg	0.461%	Total CBN 32.27 mg
96.203% Total Cannabinoids 6734.21 mg		

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Client Information:

CAKE
1912 N Batavia Street
Unit H
Orange, CA 92865

Batch # SC-7.0:1:CL-BX
Batch Date: 2025-01-02
Extracted From: Hemp

Test Reg State: Florida

Order # CAK250102-100001
Order Date: 2025-01-02
Sample # AAGG785

Sampling Date: 2025-01-03
Lab Batch Date: 2025-01-03
Completion Date: 2025-01-08

Initial Gross Weight: 25.570 g

Number of Units: 1
Net Weight per Unit: 7000.000 mg
Sampling Method: MSP 7.3.1

Total Yeast and Mold
Specimen Weight: 504.200 mg

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology SAE (MicroArray)

Passed
SOP13.019 (Micro Array)

Dilution Factor: 8.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1161	Date: 2025-01-04 08:08:26	Analyzed By: 1161	Date: 2025-01-04 08:08:26
Reviewed By: 1161	Date: 2025-01-04 14:27:32	Lab Batch #: AAGG785-434	Date: 2025-01-04 14:27:32

Specimen Weight: 1048.800 mg

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # SC-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 25.570 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG785 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1

Mycotoxins **Passed**
Specimen Weight: 614.040 mg SOP13.007 (LCMS)

Dilution Factor: 2.440

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

HHC Metals **Passed**
Specimen Weight: 252.930 mg SOP13.051 (ICP-3; icp-1)

Dilution Factor: 197.683

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	1.9E-2	100	200	<LOQ	Nickel (Ni)	1.5E-1	250	500	<LOQ
Cadmium (Cd)	4.0E-3	100	200	<LOQ	Palladium (Pd)	7.0E-3	50	100	<LOQ
Lead (Pb)	1.0E-2	100	500	<LOQ	Platinum (Pt)	1.3E-2	50	100	<LOQ
Mercury (Hg)	4.4E-2	100	200	<LOQ	Zinc (Zn)	4.1E-1	1000	na	1085.9

Residual Solvents - FL (CBD) **Passed**
Specimen Weight: 17.700 mg SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	2	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	60.218
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

CAKE Batch # SC-7.0:1:CL-BX Test Reg State: Florida
1912 N Batavia Street Batch Date: 2025-01-02
Unit H Extracted From: Hemp
Orange, CA 92865

Order # CAK250102-100001 Sampling Date: 2025-01-03 Initial Gross Weight: 25.570 g Number of Units: 1
Order Date: 2025-01-02 Lab Batch Date: 2025-01-03 Net Weight per Unit: 7000.000 mg
Sample # AAGG785 Completion Date: 2025-01-08 Sampling Method: MSP 7.3.1

Pesticides
Specimen Weight: 614.040 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.440

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	19.289
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

